

# Picture Modes



On the Amateur Bands

# Main types available

**Fast Scan TV** 

**Slow Scan TV** 

VIII TO THE REAL PROPERTY OF THE PARTY OF TH



**Fusion - Yaesu** 

D Star - Icom

#### **Fast Scan**

#### Main Bands Used

- 4 m 70.5 to 71.5 MHz (NOV Full Licence)
- 2 m 146 to 147 MHz (NOV Full Licence)
- 70 cm 437Mhz
- 23 cm
- 13 cm 2.3 GHz
- 6 cm 5.6 GHz (Drone kit)
- Oscar 100




## **Options**

Simplex on any of these bands


 Repeaters on 23cm + with many also showing their output on the BATC web site.

Talk back normally on 144.75MHz



Portsdown 4 - Simplified Block Diagram


#### Received at the Club on 23cm




#### **GB3GV** Received at Pete's Farm



#### 70cm TX into GB3ZZ




## https://batc.org.uk/live/



# Oscar 100 (Es'hail – 2)

- AMSAT DL
- Qatar Amateur Radio Society
- Qatar Satellite Company
- Built by Mitsubisi
- Launched 15<sup>th</sup> November 2018 by SpaceX on a Falcon 9 from Cape Canaveral




# Oscar 100 (Es'hail – 2)

- Oscar 100 uses 2.4GHz up 10.5GHz down
- Uses 2 backup transponders on TV Satellite
- NB is Vertical WB is Horizontal
- Geo Stationary over Africa
- Spectrum Display on BATC website
- TV net on Thursday Evenings
- https://batc.org.uk/live/oscar100net

#### Oscar 100

Coverage from orbital position of 26 deg East



# Oscar 100 Thursday Net



# Oscar 100 Thursday Net



# Oscar 100 Thursday Net



#### **SSTV**


- Used on most HF bands using SSB
- Common on 14.230MHz
- 144.500 Image Modes (SSTV, Fax etc)
- ISS on 145.800 using FM

# SSTV Software

- MMSSTV on a windows PC
- QSSTV on a Raspberry Pi
- Robot36 on phone/tablet
- Several modulation modes used but the software automatically switches for RX

#### The Hardware

RX only – Audio Cable



RX Only – No wires



#### The Hardware

- TX & RX Sound Card in RIG (ICOM +)
  - USB Cable



#### The Hardware

#### Interface gives

- Audio Path on TX & RX (external sound card)
- PTT Control (VOX in unit)



Space Station "Salut-6"

RSOISS

Космическая станция «Салют-6»

1977 - 1982



INTERKOSMOS 40" YEARS

Serie 9 - 7 1

## **ISS Over Southern England**



# Yaesu Radios with Picture Mode

FT2

FT3D





FT5D





Picture from Camera Mic

Can be stored on the Radio's SD Card

#### **Operation**

Uses the Fusion /C4FM mode

RX picture can be saved on the Radio's SD card





# ICOM Radios with Picture Mode

**ID-52** 



IC-9700



IC-705



#### **ICOM**

#### **Picture loading options**

- •From Android or Apple Phone/Tablet RS-MS1A/I & ST-4001A/I
- From a Windows Computer ST-4001W
- •Icom ST-4001 software allows the picture to be cropped and text to be added
- Loaded via SD card from Computer

#### **ICOM**

#### **Operation**

- •Uses the D-Star mode
- •Can transmit picture only or picture plus voice at the same time
- Various qualities Transmission times available
- Radio can save picture to its SD card







### **Final Thoughts**

- Pictures are a powerful tool
- Many locals have other hobbies/past times which would be interesting to see
- Many of us have suitable equipment
- Lets use it
- How about a picture net?



### **BATC Convention**

CAT 23 will be a 2-part event. The first part will be an in-person meeting at the Midland Air Museum in Coventry on Sunday 6 August. The second part will be online, probably in October.